alies to sasm tome 3 (Sem-6/CBCS) 200 HC 1 of embryo

2022 Differentiated inner mass of cells

ZOOLOGY

allo tesidorigon (Honours)

Paper : ZOO-HC-6016

(Developmental Biology) ve rise to a

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- Choose the correct answer of the following: 1. 1×7=7 (any seven)
 - (a) Rolling of sheet of cells over other cells during gastrulation is called as:
 - Involution (i) Hensen's no
 - Ingression (ii) Dorsaf lip of
 - Epiboly (iii)
 - (iv) Invagination Primitive groove

- (b) Embryonic stem cells are derived from
 - (i) Undifferentiated inner mass of cells of embryo
 - (ii) Differentiated inner mass of cells of embryo
 - (iii) Undifferentiated trophoblast cells
 - (iv) Differentiated trophoblast cells
- (c) The only cell that can give rise to a complete new organism is
 - (i) Pluripotent
 - (ii) Multipotent
 - (iii) Totipotent
 - (iv) Corticopotent
- (d) In case of chick development, primary organizer is called
 - (i) Hensen's node
 - (ii) Dorsal lip of blastopore
 - (iii) Nieuwkoop centre
 - (iv) Primitive groove

- (e) The type of regeneration found in hydra is
 - (i) Morphallaxis evab 11
 - (ii) Epimorphosis 2 (ii)
 - (iii) Regeneration
 - (iv) Healing
 - (f) In developmental biology, morula is _____ cell stage

ii) Discoidal

Superficial

- (i) 8 cell
- (ii) 16 cell
- (iii) 32 cell
- (iv) Mass of cells
- (g) In frog, cleavage is
 - (i) Holoblastic and equal
 - (ii) Holoblastic and unequal
 - (iii) Meroblastic and unequal
 - (iv) Meroblastic and discoidal

(h)	The	incubation pe	riod in chic	ck taste	es for
		about softweet was at			
	(i)	11 days sixs	Morphail	(3)	
	(ii)	21 days	Epimorph	(11)	
	(iii)	24 days mois			
		31 days	Pleating		
(i)	The	type of cleava		n insec	et is
i bin	(i)	Meroblastic		, 111	(0
	(ii)	Discoidal	8 cell	(i)	
	(iii)	Superficial	16 cell	(ii)	
	(iv)	Holoblastic	32 cell	(iii)	
<i>(i)</i>	The	process in v	which the	three	germ
	laye	ers form is call	led solo go	In fr	0 19
	(i)	Cleavage	Holoblast	(i)	
	(ii)	Gastrulation	Holoblast	(10)	
	(iii)	Organogenes	Merobleis	(pis)	
	(iv)	Metamorpho	Merobaia	(iii)	

2. Write short notes on any four of the following: Stable cell interaction Homolecithal eggs Disco blastula Zonary placenta o south was toward Frozen embryo Totipotent stem cells 180 21 18 focess of patterning along the anterior (a) Meridional plane of cleavage (h) Primary egg membrane What is cytoplasmic determinant? Answer any three of the following: 5×3=15 (a) Describe briefly the differential gene expression. fittl Describe the mechanism of fertilization (b) Describe the process of spermatogenesis. (c) Describe different types of egg with development of chick un slqmaxs (d) What are the fate of germ layers? (e) Types of placenta. Types of placenta. of a typical chordate blastula.

- (f) Describe the metamorphic changes found in amphibians.
- (g) Teratogenic agents.
- (h) Biological theories of Aging.
- 4. Answer any three of the following:

10×3=30

(i) What is pattern formation? Describe the process of patterning along the anterior-posterior axis of Drosophila embryo.

2+8=10

(ii) What is cytoplasmic determinant?

Describe the process of asymmetric segregation of cellular determinants.

01=8+2Describe briefly the differential gene

- (iii) Describe the mechanism of fertilization with labelled diagram. 7+3=10
 - (iv) Describe the process of early development of chick up to gastrulation.
 - (v) What is fate map? Describe the fate map of a typical chordate blastula. 3+7=10

- (vi) Describe the process of implantation of human embryo.
- (vii) What is regeneration? Describe the morphallactic regeneration found in Hydra. 2+8=10
- (viii) What is IVF? Describe the technique used in IVF. 2+8=10