## Total number of printed pages-8

3 (Sem-1/CBCS) ZOO HC 1

2022

## ZOOLOGY

(Honours)

Paper: ZOO-HC-1016

(Non-Chordates-I : Protista to Pseudocoelomates)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Choose the correct answer: (any seven)

  1×7=7
  - (a) Euglena belongs to class
    - (i) Zoomastigophora
    - (ii) Mastigophora
    - (iii) Actinopoda
    - (iv) Phytomastigophora

- (b) Flagellated cell in sponges are called
  - (i) Pinacocytes
  - (ii) Choanocytes
  - (iii) Porocytes
  - (iv) Thesocytes
- (c) Defence structure in Cnidaria is called
  - (i) Blastostyles
  - (ii) Gonozoids
  - (iii) Nematocysts
  - (iv) Nectocalyx
- (d) The infective stage to primary host of Fasciola is
  - (i) Miracidium
  - (ii) Sporocyst
  - (iii) Metacercaria
  - (iv) Cercaria
- (e) Beroe is the example of
  - (i) Porifera
  - (ii) Ctenophora
  - (iii) Cnidaria
  - (iv) Platyhelminthes

- (f) In Protista the division of parent organism into several daughter individuals is by
  - (i) Plasmotomy
  - (ii) Budding
  - (iii) Multiple fission
  - (iv) Binary fission
- (g) Elephantiasis is transmitted by
  - (i) Mosquito
  - (ii) Housefly
  - (iii) Bedbug
  - (iv) Fruitfly
- (h) Infective stage of Ascaris to man is
  - (i) fertilized egg prior to development
  - (ii) embryonated eggs
  - (iii) larva after third moult
  - (iv) larva after fourth moult
- (i) Polymorphism is the phenomenon found in the class
  - (i) Anthozoa
  - (ii) Scyhozoa
  - (iii) Hydrozoa
  - (iv) Cubozoa

(i) Cuticle of Ascaris is adapted for  (i) respiration  (ii) defence from host  (iii) locomotion
(iv) reproduction  (k) Intermediate host in the life cycle of Fasciola hepatica is
(i) Pig (ii) Snail (iii) Crab (iv) Rat flea  (l) Metridium is commonly known as (i) Sea fur (ii) Sea pen (iii) Sea anemone (iv) Sea fan
2. Match the following Column-I with Column-II: (any four) 2×4=8
Column_II

Match the following Column-I with Column-II: (any four) 2×4=8								
(a)		Column-I	(	Column-II				
(4)	(i)	Euspongia	(i)	Amoeba				
	(ii)	Pseudopodia	(ii)	Planula larva				
	(iii)	Plasmodium	(iii)	Bath Sponge				
	(iv)	Cnidaria	(iv)	Schizogony				

(b)	)	Column-I		Column-II
	(i)	Hydrozoa	(t	Six ray Spicule
	(ii)	Pinacoderm	(i	i) Cestoidea
	(iii,	Hexactinellida	ı (ii	ii) Polymorphism
	(iv)	Anaerobic respiration	(it	y) Scypha
(c)		Column-I		Column-II
	(i)	Gorgonia	(i)	Pennatula
	(ii)	Alcyonium	(ii)	Sea fan
	(iii)	Euplectella	(iii)	Dead man's finger
	(iv)	Sea pen	(iv)	
(d)		Column-I		Column-II
	(i)	Paramecium	(i)	Parenchymula
	(ii)	Muscular Pharyr	ix (ii)	Cnidaria
	(iii)	Diploblastic	(iii)	Filter feeder
	(iv) 1	Porifera	(iv)	Aschelminthes
(e)		Column-I		Column-II
	(i) N	Microfilaria (	(i)	Obelia
1	(ii) C	comb Jelly	(ii)	Trematoda
(	iii) P	olyp	(iii)	Ctenophora
(t	iv) F	asciola	(iv)	Elephantiasis
n 1/CDC	91 700	110 1 10		

3 (Sem-1/CBCS) ZOO HC 1/G 5

Contd.

(f)		Column-I	Column-II		
	(i)	Proglottids	(i)	Ostia and Osculum	
				as opening	
	(ii)	Ctenophora	(ii)	Cnidaria	
	(iii)	Porifera	(iii)	Comb like ciliary	
				plate	
patri	(iv)	Stinging cell	(iv)	Large number of	
				segments	
(g)		Column-I		Column-II	
	(i)	Brain Coral	(i)	Physalia	
	(ii)	Pneumatophore	(ii)	Coral reef	
	(iii)	Pinocytosis	(iii)	Meandrina	
A STATE OF	(iv)	Attol	(iv)	Protista	
(h)		Column-I		Column-II	
TUPS	(i)	Offence and	(i)	Euglena	
		Defense			
	(ii)	Palmella stage	(ii)	Spongocoel	
	(iii	) Sporulation	(iii	Dactylozooid	
	(iv	) Porifera	(iv	) Amoeba	
			C.,	41. 6 11	

- 3. Answer any three from the following questions: 5×3=15
  - (a) Write the process of transverse binary fission in *Paramecium* with proper diagram.

- (b) Explain different type of flagella movement of *Protista* with suitable diagram.
- (c) Mention the function of canal system in *Porifera*.
- (d) Describe the defense mechanism in Cnidaria.
- (e) Discuss the resemblance and differences of Ctenophora with Cnidaria.
- (f) Write briefly the parasitic adaptation of Ascaris.
- (g) Write erythrocytic cycle of Plasmodium with suitable diagram.
- (h) Draw a neat and labelled diagram of life cycle of Fasciola hepatica.
- 4. Answer **any three** from the following questions:  $10 \times 3 = 30$ 
  - (a) Describe the locomotary organelles of protozoa. Write briefly the amoeboid movement specially mention Sol-gel theory. 6+4=10
  - (b) What is skeleton in sponges? Give detail account on types and development of spicules. 2+4+4=10

(c) What is amoebiasis? Describe the life history and pathogenesis of the organism causing amoebiasis.

1+5+4=10

- (d) Describe evolution of symmetry and segmentation of Metazoa. 5+5=10
- (e) What is a coral reef? Mention the mechanism of formation and types of coral reef with significance.

1+3+4+2=10

- (f) Describe the life cycle and pathogenicity of *Wuchereria bancrofti* with schematic representation. 6+4=10
- (g) What are the important characters of class Cestoda? Write in brief the symptoms, treatment and prevention of Taeniosis. 4+2+2=10
- (h) Write six distinctive characters of Porifera. Classify the phylum Porifera mentioning three characters of each class with example. 3+7=10